
SQL - 1

Week 6

Basic form of SQL Queries

SELECT	<i>target-list</i>
FROM	<i>relation-list</i>
WHERE	<i>qualification</i>

- *target-list* A list of attributes of output relations in *relation-list*
- *relation-list* A list of relation names (possibly with a *range-variable* after each name)
e.g. Sailors S, Reserves R
- *qualification* Comparisons ($\text{Attr } op \text{ const}$ or $\text{Attr1 } op \text{ Attr2}$, where *op* is one of $<$, $>$, \leq , \geq , $=$, \neq) combined using AND, OR and NOT.

What's contained in an SQL Query?

SELECT	<i>target-list</i>
FROM	<i>relation-list</i>
WHERE	<i>qualification</i>

Every SQL Query must have:

- *SELECT* clause: specifies columns to be retained in result
- *FROM* clause: specifies a cross-product of tables

The WHERE clause (optional) specifies selection conditions on the tables mentioned in the FROM clause

General SQL Conceptual Evaluation Strategy

- Semantics of an SQL query defined in terms of the following conceptual evaluation strategy:
 - Compute the cross-product of *relation-list*.
 - Discard resulting tuples if they fail *qualifications*.
 - Delete attributes that are not in *target-list*.
- This strategy is probably the least efficient way to compute a query! An optimizer will find more efficient strategies to compute *the same answers*.

Table Definitions

We will be using the following relations in our examples:

Sailors(sid, sname, rating, age)

Boats(bid, bname, color)

Reserves(sid, bid, day)

Sailors

<i>sid</i>	<i>sname</i>	<i>rating</i>	<i>age</i>
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
32	Andy	8	25.5
58	Rusty	10	35.0
64	Horatio	7	35.0
71	Zorba	10	16.0
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	63.5

Reserves

<i>sid</i>	<i>bid</i>	<i>day</i>
22	101	10/10/04
22	102	10/10/04
22	103	10/08/04
22	104	10/07/04
31	102	11/10/04
31	103	11/06/04
31	104	11/12/04
64	101	09/05/04
64	102	09/08/04
74	103	09/08/04

Boats

<i>bid</i>	<i>bname</i>	<i>Color</i>
101	Interlake	blue
102	Interlake	red
103	Clipper	green
104	Marine	red

A Simple SQL Query

Find the names and ages of all sailors


<i>sid</i>	<i>sname</i>	<i>rating</i>	<i>age</i>
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
32	Andy	8	25.5
58	Rusty	10	35.0
64	Horatio	7	35.0
71	Zorba	10	16.0
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	63.5

Result of Previous Query

<i>sname</i>	<i>age</i>
Dustin	45.0
Brutus	33.0
Lubber	55.5
Andy	25.5
Rusty	35.0
Horatio	35.0
Zorba	16.0
Horatio	35.0
Art	25.5
Bob	63.5

```
SELECT S.sname, S.age  
FROM Sailors S;
```

Duplicate Results



Preventing Duplicate Tuples in the Result


- Use the **DISTINCT** keyword in the SELECT clause:

```
SELECT DISTINCT S.sname, S.age  
FROM Sailors S;
```

Results of Original Query without Duplicates

<i>sname</i>	<i>age</i>
Dustin	45.0
Brutus	33.0
Lubber	55.5
Andy	25.5
Rusty	35.0
Horatio	35.0
Zorba	16.0
Art	25.5
Bob	63.5

Appears only once



Example SQL Query...1

Find the names of sailors who have reserved boat 103

Relational Algebra:

$\pi_{\text{sname}} ((\sigma_{\text{bid}=103} \text{Reserves}) \bowtie \text{Sailors})$

SQL:

Example SQL Query...1

Find the names of sailors who have reserved boat 103

Relational Algebra:


$\pi_{\text{sname}} ((\sigma_{\text{bid}=103} \text{Reserves}) \bowtie \text{Sailors})$

SQL:

```
SELECT S.sname
FROM   Sailors S, Reserves R
WHERE  S.sid=R.sid AND R.bid=103;
```

Result of Previous Query

<i>sid</i>	<i>bid</i>	<i>day</i>
22	103	10/08/04
31	103	11/06/04
74	103	09/08/04



<i>sid</i>	<i>sname</i>	<i>rating</i>	<i>age</i>
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
32	Andy	8	25.5
58	Rusty	10	35.0
64	Horatio	7	35.0
71	Zorba	10	16.0
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	63.5

Result:

<i>sname</i>
Dustin
Lubber
Horatio

A Note on Range Variables

- Really needed only if the same relation appears twice in the FROM clause. The previous query can also be written as:

```
SELECT S.sname  
FROM   Sailors S, Reserves R  
WHERE  S.sid=R.sid AND R.bid=103;
```

OR

```
SELECT sname  
FROM   Sailors, Reserves  
WHERE  Sailors.sid=Reserves.sid AND bid=103;
```

However, it is a good style to always use range variables!

Example SQL Query...2

*Find the **sids** of sailors who have reserved a red boat*

```
SELECT R.sid  
FROM Boats B, Reserves R  
WHERE B.bid=R.bid AND B.color='red';
```

Example SQL Query...3

*Find the **names** of sailors who have reserved a red boat*

```
SELECT S.sname  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND B.bid=R.bid AND  
      B.color='red' ;
```


Example SQL Query...4

*Find the **colors** of boats reserved by 'Lubber'*

```
SELECT B.color  
FROM Sailors S, Reserves R, Boats B  
WHERE S.sid=R.sid AND R.bid=B.bid AND  
      S.sname= 'Lubber' ;
```

Example SQL Query...5

*Find the **names** of sailors who have reserved **at least one boat***

```
SELECT S.sname  
FROM Sailors S, Reserves R  
WHERE S.sid=R.sid;
```

Expressions and Strings

- **AS** and **=** are two ways to name fields in result.
- **LIKE** is used for string matching. **'_'** stands for exactly one arbitrary character and **'%'** stands for 0 or more arbitrary characters.

Expressions and Strings Example

Find triples (of ages of sailors and two fields defined by expressions, i.e. current age-1 and twice the current age) for sailors whose names begin and end with B and contain at least three characters.

```
SELECT S.age, age1=S.age-1, 2*S.age AS age2
FROM Sailors S
WHERE S.sname LIKE 'B_%B';
```

<i>sid</i>	<i>sname</i>	<i>rating</i>	<i>age</i>
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
32	Andy	8	25.5
58	Rusty	10	35.0
64	Horatio	7	35.0
71	Zorba	10	16.0
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	63.5

Result:

<i>age</i>	<i>age1</i>	<i>age2</i>
63.5	62.5	127.0

UNION, INTERSECT, EXCEPT

- **UNION**: Can be used to compute the union of any two *union-compatible* sets of tuples (which are themselves the result of SQL queries).
- **EXCEPT**: Can be used to compute the set-difference operation on two *union-compatible* sets of tuples (Note: In ORACLE, the command for set-difference is *MINUS*).
- **INTERSECT**: Can be used to compute the intersection of any two *union-compatible* sets of tuples.

Illustration of UNION...1

*Find the names of sailors who have reserved a red **or** a green boat*

Intuitively, we would write:

```
SELECT S.sname
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid
      AND (B.color= 'red' OR B.color= 'green' );
```

Illustration of UNION...2

We can also do this using a UNION keyword:

```
SELECT S.sname
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid
      AND B.color= 'red'
```

UNION

```
SELECT S.sname
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid
      AND B.color= 'green' ;
```

Unlike other operations, UNION eliminates duplicates! Same as INTERSECT, EXCEPT. To retain duplicates, use "UNION ALL"

Illustration of INTERSECT...1

*Find names of sailors who've reserved a red **and** a green boat*

Intuitively, we would write the SQL query as:

```
SELECT S.sname
FROM   Sailors S, Boats B1, Reserves R1, Boats B2,
       Reserves R2
WHERE  S.sid=R1.sid AND R1.bid=B1.bid
       AND S.sid=R2.sid AND R2.bid=B2.bid
       AND (B1.color='red' AND B2.color='green');
```


Illustration of INTERSECT...2

We can also do this using a INTERSECT keyword:

```
SELECT S.sname
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
INTERSECT
SELECT S2.sname
FROM Sailors S2, Boats B2, Reserves R2
WHERE S2.sid=R2.sid AND R2.bid=B2.bid AND B2.color='green' ;
```

(Is this correct??)

(Semi-)Correct SQL Query for the Previous Example

```
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid  
      AND B.color='red'
```

INTERSECT

```
SELECT S2.sid  
FROM Sailors S2, Boats B2, Reserves R2  
WHERE S2.sid=R2.sid AND R2.bid=B2.bid  
      AND B2.color='green' ;
```

(This time we have actually extracted the *sids* of sailors, and not their names.)

(But the query asks for the names of the sailors.)

Illustration of EXCEPT

*Find the sids of all sailors who have reserved red boats **but not** green boats:*

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
EXCEPT
SELECT S2.sid
FROM Sailors S2, Boats B2, Reserves R2
WHERE S2.sid=R2.sid AND R2.bid=B2.bid AND B2.color='green' ;
```

Use MINUS instead of EXCEPT in Oracle

Nested Queries

- A **nested** query is a query that has another query embedded within it; this embedded query is called the **subquery**.
- Subqueries generally occur within the WHERE clause (but can also appear within the FROM and HAVING clauses)
- Nested queries are a very powerful feature of SQL. They help us write short and efficient queries.

(Think of nested **for** loops in C++. Nested queries in SQL are similar)

Nested Query 1

Find names of sailors who have reserved boat 103

```
SELECT S.sname  
FROM Sailors S  
WHERE S.sid IN ( SELECT R.sid  
                  FROM Reserves R  
                  WHERE R.bid=103);
```

Nested Query 2

*Find names of sailors who **have not** reserved boat 103*

```
SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN ( SELECT R.sid
                     FROM Reserves R
                     WHERE R.bid=103 )
```

Nested Query 3

Find the names of sailors who have reserved a red boat

```
SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid IN (SELECT B.bid
                                FROM Boats B
                                WHERE B.color = 'red'));
```

What about *Find the names of sailors who have NOT reserved a red boat?*

Revisit a previous query

*Find names of sailors who've reserved a red **and** a green boat*

```
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid  
      AND B.color='red'
```

INTERSECT

```
SELECT S2.sid  
FROM Sailors S2, Boats B2, Reserves R2  
WHERE S2.sid=R2.sid AND R2.bid=B2.bid  
      AND B2.color='green' ;
```


Revisit a previous query

*Find names of sailors who've reserved a red **and** a green boat*

```
SELECT S.sname
FROM Sailor S
WHERE S.sid IN (SELECT R.sid
                FROM Boats B, Reserves R
                WHERE R.bid=B.bid AND B.color='red'
                INTERSECT
                SELECT R2.sid
                FROM Boats B2, Reserves R2
                WHERE R2.bid=B2.bid AND B2.color='green');
```

Correlated Nested Queries...1

- Thus far, we have seen nested queries where the inner subquery is independent of the outer query.
- We can make the inner subquery **depend** on the outer query. This is called correlation.

Correlated Nested Queries...2

Find names of sailors who have reserved boat 103

```
SELECT S.sname  
FROM Sailors S  
WHERE EXISTS (SELECT *  
              FROM Reserves R  
              WHERE R.bid=103 AND R.sid=S.sid);
```

Tests whether the set is nonempty. If it is, then return TRUE.

(For finding sailors who have **not** reserved boat 103, we would use **NOT EXISTS**)

Correlated Nested Query - Division

*Find the names of sailors who have reserved ALL boats
(DIVISION)*

```
SELECT S.sname
FROM Sailors S
WHERE NOT EXISTS ((SELECT B.bid
                   FROM Boats B)
                 EXCEPT
                 (SELECT R.bid
                  FROM Reserves R
                  WHERE R.sid = S.sid));
```

(For each sailor S, we check to see that the set of boats reserved by S includes every boat)

Correlated Nested Query 2

Alternatively,

Find the names of sailors who have reserved ALL boats

```
SELECT S.sname
FROM Sailors S
WHERE NOT EXISTS (SELECT B.bid
                  FROM Boats B
                  WHERE NOT EXISTS (SELECT R.bid
                                    FROM Reserves R
                                    WHERE R.bid = B.bid AND
                                           R.sid = S.sid ));
```

NOT EXISTS vs. NOT IN

Employee2

employee_id	employee_name	manager_id
1	John	5
2	David	5
3	Joe	5
4	Brandon	5
5	Chris	NULL
6	Jen	5
7	Kim	5
8	Mary	5
9	Dennis	5
10	Jim	5

NOT EXISTS vs. NOT IN

- Find employees who are not managers

Try:

```
SELECT COUNT(*)  
FROM Employee2 E  
WHERE E.employee_id NOT IN  
      (SELECT E2.manager_id  
       FROM Employee2 E2);
```

NOT EXISTS vs. NOT IN

- Find employees who are not managers

```
SELECT COUNT(*)  
FROM Employee2 E  
WHERE E.employee_id NOT IN  
      (SELECT E2.manager_id  
       FROM Employee2 E2);
```

COUNT = 0 (!)

NOT EXISTS vs. NOT IN

- Find employees who are not managers

Try again:

```
SELECT COUNT(*)  
FROM Employee2 E  
WHERE NOT EXISTS  
    (SELECT *  
     FROM Employee2 E2  
     WHERE E2.manager_id = E.employee_id);
```

NOT EXISTS vs. NOT IN

- Find employees who are not managers

Try again:

```
SELECT COUNT(*)  
FROM Employee2 E  
WHERE NOT EXISTS  
    (SELECT *  
     FROM Employee2 E2  
     WHERE E2.manager_id = E.employee_id);
```

COUNT = 9!

NOT EXISTS vs. NOT IN

- Find employees who are not managers

Another option:

```
SELECT COUNT(*)  
FROM Employee2 E LEFT OUTER JOIN Employee2 E2  
    ON E.employee_id = E2.manager_id  
WHERE E2.manager_id IS NULL;
```

NOT EXISTS vs. NOT IN

- Performance
 - NOT IN: Query performs nested full table scans
 - NOT EXISTS: Query can use an index within the sub-query.